

REFERENCES

Below are listings directly referenced in this document and those referred to through other reports from which information for this report was gathered.

Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/>.

Allan, J. D. and L. B. Johnson. 1997. Catchment-scale analysis of aquatic ecosystems. *Freshwater Biology*. 37:107-111.

Baker, N. T. and J. W. Frey. 1997. Fish Community and Habitat Data at Selected Sites in the White River Basin, Indiana, 1993-1995. National Water-Quality Assessment Program, U.S. Geological Survey. Open File Report 96-653A.

Bartholow, J.M.. 2000. Estimating cumulative effects of clearcutting on stream temperatures. *Rivers*. 7 (4), 284-297.

Blakney, C. and Kavassalis, C. 2001-2004. BioMuncie.org. "Land Contamination". <http://www.biomuncie.org/Land%20Contamination.htm>.

Conrad, Richard C. Fish Community Report West Fork of the White River and Selected Tributaries 2000-2001: White River Corridor Seminar & Mobile Workshop Book 1 (Information Packet).

Correll, David L. 1998. The Role of Phosphorus in the Eutrophication of Receiving Waters: A Review. *Journal of Environmental Quality*, 27 (2): 261-266.

Craddock, John. March 28, 2004. "Improvements show challenges can be met". The Star Press. Muncie, Indiana.

Crawford, C.G. 1995. Occurrence of Pesticides in the White River, Indiana, 1991-95: U.S. Geological Survey Fact Sheet 233-95, 4p.

Crawford, C. 2001. "Brief Description of the White River Basin". U.S. Geological Survey National Water Quality Assessment Program White River Basin Study. <http://in.water.usgs.gov/nawqa/wr00002.htm>

Crawford, C.G. 1996. Influence of Natural and Human Factors on Pesticide Concentrations in Surface Waters of the White River Basin, Indiana: U.S. Geological Survey Fact Sheet 119-96, 4p.

Dye, L. *et al.* 1999. EPA Environmental Risk Assessment Memorandum. Accessed 1-22-03. <http://www.epa.gov/pesticides/op/diazinon/efedrisk.pdf>

Environmental Protection Agency (EPA) 1989. Office of Water. Rapid Bioassessment Protocols for Use in Streams and Rivers, Benthic Macroinvertebrates and Fish. Office of Water. EPA/440/4-89/001.

EPA, 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. Office of Research and Development, Cincinnati, Ohio. EPA/600/4-90/030.

Environmental Protection Agency (EPA) 1989. Office of Water. Rapid Bioassessment Protocols for Use in Streams and Rivers, Benthic Macroinvertebrates and Fish. EPA/440/4-89/001.

EPA. Superfund Program, Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) Database. <http://cfpub.epa.gov/supercpad/cursites/srchsites.cfm>

EPA. 1986. Quality Criteria for Water: EPA 440/5-86-001. <http://www.epa.gov/waterscience/criteria/goldbook.pdf>.

- EPA Method 4670. Triazine Herbicides as Atrazine in Water by Quantitative Immunoassay. Accessed 1-22-03. <http://www.epa.gov/epaoswer/hazwaste/test/pdfs/4670.pdf>
- EPA. 1997. Ecoregions of Indiana and Ohio. http://www.epa.gov/wed/pages/ecoregions/ohin_eco.htm.
- Fenelon, Joseph M. 1996. Water Quality in the White River Basin, Indiana, 1992-96: U.S. Geological Survey Circular 1150, 33p.
- Fenelon, J.M. and R. C. Moore. 1996. Occurrence of Nitrate in Ground Water in the White River Basin, Indiana, 1994-95: U.S. Geological Survey Fact Sheet 124-96.
- Fenelon, J. M. and R. C. Moore. 1998. Transport of Agrichemicals to Ground and Surface Water in a Small Central Indiana Watershed: Journal of Environmental Quality, 27(4).
- FishingSports.net. http://fishingspots.net/IN_Fishing_Camping/Prarie_Creek_Reservoir/~Prarie_Creek.htm.
- Frey M., L.P. Sullivan, L Chestnut, R. Raucher, V. Gary, L. Stallones, P. Weyer, and S.Swan.2000. Occurrence of herbicides/pesticides in drinking water, American Water Works Research Foundation, Denver, Co.119 p.
- Gregory, S. V., F. Swanson, A. W. McKee, and K. W. Cummins. 1991 An Ecosystem Perspective of Riparian Zones. Focus on links between land and water. Bioscience. 41 (8): 540-549.
- Gurtz, Martin E. 1994. Design of Biological Components of the National Water-Quality Assessment (NAWQA) Program In Biological Monitoring of Aquatic Systems. 323-354p. CRC Press Inc. Boca Raton, Florida.
- Hester, F.E. and J.S. Dendy. 1962. A multiple-Plate Sampler for Aquatic Macroinvertebrates. Transactions of the American Fisheries Society. 91:420-421.
- Hilsenhoff, William L. 1988. Rapid Field Assessment of Organic Pollution with a Family Level Biotic Index. J.N. Am. Benthol. Soc. 7(1):65-68.
- Hocutt, Charles H. 1981. Fish as indicators of biological integrity. Fisheries. 6:28-31.
- Huffman, K. K. United States Department of Agriculture (USDA). Soil Conservation Service. 1972. Soil Survey of Delaware County, Indiana. U.S. Governmental Printing Office. Washington, D.C.
- Jones III, E. B. D, G. S. Helfman, J. O. Harper, and P. V. Bolstad. 1999. Effect of riparian forest removal on fish assemblages in Southern Appalachian streams. Conservation Biology. 13:1454-1465.
- IAC. 2000. Indiana Administrative Code, Article 2, Water Quality Standards. <http://www.in.gov/legislative/iac/title327.html> and www.in.gov/idem/water/planbr/wqs/review/ecoli.html.
- Illinois EPA. 2000. Quarterly Report 1: Casey Fork Watershed. <http://www.epa.state.il.us/water/tmdl/report/casey-fork/casey-fork.1.pdf>.
- Indiana Dept. of Environmental Management. 2002. Commissioners Bulletin, List of Hazardous Waste Response Sites Scored Utilizing the Indiana Scoring Model (ISM). <http://www.in.gov/idem/land/statecleanup/club.html>.
- Indiana Dept. of Environmental Management, Office of Land Quality. Leaking Underground Storage Tanks. <http://www.in.gov/idem/land/lust/>.
- Indiana Dept. of Environmental Management, Office of Water Quality. *E. coli*. Accessed 1-30-03. <http://www.state.in.us/legislative/iac/title327.html>
- Indiana Dept. of Environmental Management, Office of Water Quality. 2002. Integrated Water Quality Monitoring and Assessment Report. <http://www.in.gov/idem/water/planbr/wqs/quality.html>.

Indiana Dept. of Environmental Management, Office of Water Quality. 2001. Upper White River Restoration Action Strategy. Indianapolis, IN. p. 9-10. <http://www.in.gov/idem/water/planbr/wsm/uwhitewras.html>

Indiana Dept. of Environmental Management, Office of Water Quality. 2003. West Fork White River, Muncie to Hamilton-Marion County Line TMDL for *E. coli* Bacteria Sources Report. <http://www.in.gov/idem/water/planbr/wqs/tmdl/assess/wfwhiterscrprt.pdf>.

Indiana Dept. of Environmental Management, Office of Water Quality. 2001. Upper White River Watershed Restoration Action Strategy. <http://www.in.gov/idem/water/planbr/wsm/05120201part1.pdf>.

Indiana Dept. of Environmental Management, Office of Water Quality. List of Impaired Waters. Accessed 7-17-03 <http://www.in.gov/idem/water/planbr/wqs/303dlst.html>.

Indiana Dept. of Environmental Management, Office of Water Quality. 2004. *Notice of Public Comment Period and Public Meetings, Updated List of Impaired Waters under Section 303(d) of the CWA*. <http://www.in.gov/idem/water/planbr/wqs/notice04.pdf>.

Indiana Dept. of Environmental Management, Office of Water Quality. 2004. Section 303(d) List of Impaired Water Bodies for Indiana. <http://www.in.gov/idem/water/planbr/wqs/303d.html>

Indiana Dept. of Health. 2004. 2003 Indiana Fish Consumption Advisory. http://www.state.in.us/isdh/dataandstats/fish/fish_adv_index.htm.

Indiana Dept. of Natural Resources. Division of Soil Conservation. Hoosier Riverwatch. <http://www.in.gov/dnr/soilcons/riverwatch>.

Indiana Dept. of Natural Resources, Division of Nature Preserves. 1999. List of Endangered, Threatened and Rare Species – Delaware County. <http://www.state.in.us/dnr/naturepr/species/index.html>.

Indiana Dept. of Natural Resources, Natural Resources Commission. 1990. Outstanding Rivers List for Indiana. <http://www.in.gov/nrc/policy/outstand.html>.

Indiana Geological Survey. ArcIMS Viewer. <http://igs.indiana.edu/arcims/statewide/index.html>.

Lovell, J. 2000. White River Fisheries and Watershed Information: White River Corridor Seminar & Mobile Workshop Book 1 (Information Packet).

Lowrance, R., R. Todd, J. Fail Jr., O. Hendrickson Jr., R. Leonard, L. Asmussen. 1984. Riparian forests as nutrient filters in agricultural watersheds. *BioScience*. 34:374-377.

Martin, J.D., Crawford, C.G., Frey, J.W., and Hodgkins, G.A. 1996. Water Quality Assessment of the White River Basin, Indiana—Analysis of Available Information on Nutrients, 1980-92: U.S. Geological Survey Water-Resources Investigations Report 96-4192, 91p.

McCormick, F. H., R. M. Hughes, P. R. Kaufmann, D. V. Peck, J. L. Stoddard, and A. T. Herlihy. 2001. Development of an index of biotic integrity for the mid-Atlantic highlands region. *Transactions of the American Fisheries Society*. 130:857-877.

Muncie Delaware County Economic Development Alliance. 2004. http://www.muncie.com/scripts/_results.asp. Accessed 5-19-04.

National Register of Historic Places. <http://www.nationalregisterofhistoricplaces.com/IN/state.html>.

National Research Council. 1990. A Review of the USGS National Water Quality Assessment Pilot Program. National Academy Press, Washington, D.C. 153p.

- National Water-Quality Assessment Program (NAWQA). 1997. The Relation of Fish Community Composition to Riparian Cover and Runoff Potential in the Minnesota River Basin, Minnesota and Iowa. U.S. Department of the Interior. U. S. Geological Survey Fact Sheet FS-105-00.
- National Water-Quality Assessment Program (NAWQA). 1997. The Relation of Fish Community Composition to Riparian Cover and Runoff Potential in the Minnesota River Basin, Minnesota and Iowa. U.S. Department of the Interior. U. S. Geological Survey Fact Sheet FS-105-00.
- National Water-Quality Assessment Program (NAWQA). 1996. Fishes of the White River Basin, Indiana. U. S. Department of the Interior. U. S. Geological Survey. Water-Resources Investigations Report 96-4232.
- Natural Resources Conservation Service. Electronic Field Office Technical Guide.
www.nrcs.usda.gov/technical/efotg.
- Ohio EPA (OEPA). 1989. Biological criteria for the protection of aquatic life. Volumes 1,2,3. Division of Water Quality Planning and Assessment, Ecological Assessment Section. Columbus, Ohio.
- Ohio EPA (OEPA). 1999. Association Between Nutrients, Habitat, and the Aquatic Biota in Ohio Rivers and Streams. Ohio EPA Technical Bulletin MAS/1999-1-1, Columbus, OH.
- Osborne, L. L. and D. A. Kovacic. 1993. Riparian vegetated buffer strips in water-quality restoration and stream management. *Freshwater Biology*. 29:243-258.
- Pierzynski, G.M.; J.T. Sims; G.F. Vance. 2000. *Soils and Environmental Quality*. Second Ed. CRC Press, Inc. Boca Raton, Florida. Pp. 158.
- Quality Assurance Project Plan (QAPP), 2002. Delaware County Soil and Water Conservation District. White River Watershed – Delaware County. ARN#A 305-1-00-206.
- Rankin, E.T. 1989. The Qualitative Habitat Evaluation Index [QHEI]: Rationale, Methods, and Application. Division of Water Quality Planning and Assessment, Surface Water Section. Columbus, Ohio.
- Richards, C., L.B. Johnson, G.E. Host. 1996. Landscape-scale influences on stream habitats and biota. *Canadian Journal of Fishers and Aquatic Science* 53: 295-311.
- Roth, N. E., J. D. Allan, D. L. Erickson. 1996. Landscape influences on stream biotic integrity assessed at multiple spatial scales. *Landscape Ecology*. 11:141-156.
- Simon, T.P. & R. Dufour. 1997. Development of Index of Biotic Integrity expectations for the ecoregions of Indiana. V. Eastern Corn Belt Plain. U.S. Environmental Protection Agency, Region V. Water Division. Watershed and Non-Point Source Branch, Chicago, IL. EPA 905/R-96/002.
- Simon, T.P., and J. Lyons. 1995. Application of the index of biotic integrity to evaluate water resources integrity in freshwater ecosystems, in W.S. Davis and T. P. Simon (Eds.), *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis, Boca Raton, Florida. 245-262.
- Singer, M.J., D.N. Munns. 2002. *Soils An Introduction*. Fifth Edition. Prentice Hall. Upper Saddle River, New Jersey.
- Smith, T. 1999. *Assessing the Sustainability and Biological Integrity of Water Resources Using Fish Communities*. CRC Press, Inc. Boca Raton, Florida.
- Talmage, P. J., J. A. Perry, and R. M. Goldstein. 2002. Relation of instream habitat and physical conditions to fish communities of agricultural streams in the Northern Midwest. *North American Journal of Fisheries Management* 22:825-833.

USDA. Natural Resources Conservation Service. 1999. Digital Soil Survey of Delaware County, Indiana. Soil Survey Geographic (SSURGO) Database.

US Fish and Wildlife Service. National Wetland Inventory. <http://wetlands.fws.gov/>.

United States Geological Survey. 1999. Water Quality in the Lake Erie-Lake Saint Clair Drainages: Michigan, Ohio, Indiana, New York and Pennsylvania, 1996-98. <http://www.usgs.gov>.

University of Rochester, <http://www.earth.rochester.edu/ees201/CongreveC/CongreveC1.html>

Walker, R.D. 1978. Task Force on Agricultural Nonpoint Sources of Pollution Subcommittee on Soil Erosion and Sedimentation. Illinois Institute for Environmental Quality, 72 pp.

Wang, L., J. Lyons, P. Kanehl, and R. Gatti. 1997. Influences of watershed land use on habitat quality and biotic integrity in Wisconsin streams. *Fisheries*. 22:6-12.

Waters, T.F. 1995. Sediment in Streams: Sources, Biological Effects, and Control. American Fisheries Society Monograph 7. Bethesda, Maryland, 251pp.

Wehrly, K.E., M.J. Wiley, and P.W. Seelbach. 1999. A thermal classification for Lower Michigan Rivers. State of Michigan, Department of Natural Resources, Fisheries Division. Fisheries Research Report Number 2038.